

**AMENDMENTS TO THE CLAIMS**

This listing of the claims will replace all prior versions, and listings, of claims in the  
5 application:

**Listing of Claims:**

1 (Currently Amended). A golf club head comprising:

a body having a crown, a sole, a ribbon and a front wall with an opening, the  
10 crown having a thickness of 0.035 inch to 0.045 inch, the sole having a thickness of 0.035 inch to  
0.045 inch, the body composed of a cast titanium alloy material, the crown, the sole, the ribbon  
and the front wall defining a hollow interior; and

a striking plate insert comprising a first layer and a second layer, the first layer  
composed of titanium material, the first layer providing an outer striking face of the golf club  
15 head, the second layer composed of an aluminum material and having a lower yield strength than  
the yield strength of the first layer, the first layer and the second layer joined by an explosion  
bonding process, whereby the yield strength of the striking plate insert in its entirety is greater  
than the yield strength of each of the first layer and the second layer; and

an internal hosel positioned within the hollow interior of the body, the internal  
20 ~~interior~~ hosel extending from the crown toward the sole,

wherein the golf club head has a volume ranging from 200 cubic centimeters to  
500 cubic centimeters, a mass less than 225 grams, a height ranging from 2.0 inches to 3.5  
inches, a width ranging from 4.0 inches to 5.0 inches, a coefficient of restitution ranging from

0.82 to 0.94, a moment of inertia,  $I_{zz}$ , about the Z axis through the center of gravity of the golf club head ranging from  $3400\text{g-cm}^2$  to  $3900\text{g-cm}^2$ .

2 (Original). The golf club head according to claim 1 wherein the striking plate insert further  
5 comprises a third layer composed of titanium material, wherein the second layer is disposed between the third layer and the first layer, and whereby the third layer and the second layer are joined by an explosion bonding process.

3 (Original). A golf club head comprising:

10 a body having a crown, a sole, a ribbon, and a front wall with an opening, the crown having a thickness of 0.035 inch to 0.045 inch, the sole having a thickness of 0.035 inch to 0.045 inch, the body composed of a cast metal material, the crown, the sole, the ribbon and the front wall defining a hollow interior; and

a striking plate insert comprising a first layer providing an outer striking face of  
15 the golf club head and a second layer having a lower yield strength than the yield strength of the first layer, the first layer joined to the second layer by an explosion bonding process;

wherein the golf club head has a volume ranging from at least 360 cubic centimeters, a mass ranging from 180 grams to 215 grams, a height ranging from 2.0 inches to 3.5 inches, a width ranging from 4.0 inches to 5.0 inches, a depth ranging from 3.0 inches to 4.5  
20 inches, a coefficient of restitution ranging from 0.82 to 0.94; and a moment of inertia,  $I_{zz}$ , about the Z axis through the center of gravity of the golf club head ranging from  $3400\text{g-cm}^2$  to  $3900\text{g-cm}^2$ .

4 (Original). The golf club head according to claim 3 wherein the body is composed of a cast titanium alloy material, the first layer of the striking plate insert is composed of titanium alloy material, and the second layer of the striking plate insert is composed of an aluminum material.

5 5 (Original). The golf club head according to claim 3 wherein the body is composed of a cast steel alloy material, the first layer of the striking plate insert is composed of a stainless steel material, and the second layer of the striking plate insert is composed of an aluminum material.

6 (Original). The golf club head according to claim 3 wherein the striking plate insert further  
10 comprises a third layer composed of titanium material, the second layer disposed between the third layer and the first layer, the third layer joined to the second layer by an explosion bonding process.

15

20

7 (Original). A golf club head comprising:

a body having a crown and a sole, and a front wall with an opening; and

a striking plate insert comprising a first layer providing an outer striking face of the golf club head and a second layer having a lower yield strength than the yield strength of the first layer, the first layer joined to the second layer by an explosion bonding process, the first layer having a thickness ranging from 0.050 inch to 0.150 inch, and the second layer having a thickness ranging from 0.050 inch to 0.150 inch;

wherein the golf club head has a volume ranging from at least 300 cubic centimeters to 500 cubic centimeters, a coefficient of restitution ranging from 0.80 to 0.94; and a moment of inertia,  $I_{zz}$ , about the Z axis through the center of gravity of the golf club head greater than  $3000\text{g-cm}^2$ .

8 (Original). The golf club head according to claim 7 wherein the body is composed of a cast titanium alloy material, the first layer of the striking plate insert is composed of titanium alloy material, and the second layer of the striking plate insert is composed of an aluminum material.

9 (Original). The golf club head according to claim 7 wherein the body is composed of a cast steel alloy material, the first layer of the striking plate insert is composed of steel alloy material, and the second layer of the striking plate insert is composed of an aluminum material.

10 (Original). A golf club head comprising:

a body having a crown and a sole, and a front wall with an opening; and

a striking plate insert comprising a first layer providing an outer striking face of the golf club head, a second layer having a lower yield strength than the yield strength of the first layer, and a third layer welded to the second layer, the first layer, the second layer and the third layer joined by an explosion bonding process, the first layer having a thickness ranging from 0.050 inch to 0.150 inch, the second layer having a thickness ranging from 0.050 inch to 0.150 inch, and the third layer having a thickness ranging from 0.050 inch to 0.150 inch;

wherein the golf club head has a volume ranging from at least 300 cubic centimeters to 500 cubic centimeters, a coefficient of restitution ranging from 0.80 to 0.94; and a moment of inertia,  $I_{zz}$ , about the Z axis through the center of gravity of the golf club head greater than 3000g-cm<sup>2</sup>.

11 (Original). The golf club head according to claim 10 wherein the body is composed of a cast titanium alloy material, the first layer of the striking plate insert is composed of titanium alloy material, the second layer of the striking plate insert is composed of an aluminum material, and the third layer of the striking plate insert is composed of titanium alloy material.

12 (Original). The golf club head according to claim 10 wherein the body is composed of a cast steel alloy material, the first layer of the striking plate insert is composed of steel alloy material, the second layer of the striking plate insert is composed of an aluminum material, and the third layer of the striking plate insert is composed of steel alloy material.

13 (Original). The golf club head according to claim 10 wherein the body is composed of a cast steel alloy material, the first layer of the striking plate insert is composed of steel alloy material, the second layer of the striking plate insert is composed of a titanium material, and the third layer of the striking plate insert is composed of steel alloy material.

5

14 (Original). The golf club head according to claim 10 wherein the body is composed of a cast titanium alloy material, the first layer of the striking plate insert is composed of beryllium copper material, the second layer of the striking plate insert is composed of an aluminum material, and the third layer of the striking plate insert is composed of beryllium copper material.

10

15 (Original). The golf club head according to claim 10 wherein the body is composed of a cast titanium alloy material, the first layer of the striking plate insert is composed of forging brass material, the second layer of the striking plate insert is composed of an aluminum material, and the third layer of the striking plate insert is composed of forging brass material.

15

16 (Original). The golf club head according to claim 10 wherein the body is composed of a cast steel alloy material, the first layer of the striking plate insert is composed of steel alloy material, the second layer of the striking plate insert is composed of an aluminum material, and the third layer of the striking plate insert is composed of aluminum material.

20

17-20 (Canceled).